S75	6	(((select$5 or adapt$5)near3 ((state or mode)near2 computer))same ((connect$4 or electric$4)with (unit$1 or device$1 or peripheral or PCi))) and ((before or prior or ahead)near5 (initiali$7 or configur$7))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/08 16:19
S76	4	nortung.inv.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/08 16:12
S77	2	"5202997".pn.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/08 16:14
S78	2	"5187352".pn.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/08 16:17
S79	21855	"713"/$.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/08 16:17
S80	201	"713"/$.ccls. and (((state or mode)near2 computer))same ((connect$4 or electric$4)with (unit$1 or device$1 or peripheral or PCi))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/08 16:18
S81	42	("713"/$.ccls. and (((state or mode)near2 computer))same ((connect$4 or electric$4)with (unit$1 or device$1 or peripheral or PCi))) and ((before or prior or ahead)near5 (initiali$7 or configur$7))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/08 16:19
S82	6	("713"/$.ccls. and (((state or mode)near2 computer))same ((connect$4 or electric$4)with (unit$1 or device$1 or peripheral or PCi))) and (((before or prior or ahead)near5 (initiali$7 or configur$7))with (power or supply))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/08 16:26

S83	4	(((connect$4 or disconnect$4)near3 (device$1 or unit$1 or peripheral)) with computer)same (((before or prior or ahead)near5 (initiali$7 or configur$7))with (power or supply))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/08 16:36
S84	4396	(((control$4 near6 (electrical adj (interconnect$4 or connect$4)))same (opera$6 or inoper$6 or work$4 or idle))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/08 16:35
S85	0	((((control$4 near6 (electrical adj (interconnect$4 or connect$4)))same (opera$6 or inoper$6 or work$4 or idle))) and (((device$1 or unit$1 or peripheral)) with computer)same (((before or prior or ahead)near5 (initiali$7 or configur$7))same (power or supply))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/08 16:37
S86	84	(((connect$4 or disconnect$4)near3 (device$1 or unit$1 or peripheral)) with computer)and (((before or prior or ahead)near5 (initiali$7 or configur$7))with (power or supply))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/08 16:36
S87	193	((((control$4 near6 (electrical adj (interconnect$4 or connect$4)))same (opera$6 or inoper$6 or work$4 or idle))) and ((((device$1 or unit$1 or peripheral)) with computer)same (power or supply))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/08 16:37
S88	25	((((control$4 near6 (electrical adj (interconnect$4 or connect$4)))same (opera$6 or inoper$6 or work$4 or idle))) same((((device$1 or unit$1 or peripheral)) with computer)same (power or supply))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/08 17:04
S89	31	"5434562".uref.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/09 08:39

S90	17	(((before or prior)adj5 (interconnect$4 or connect$4))with (power or supply or voltage))same (motherboard)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/09 08:51
S91	137	((data or information or program or code)near5 (protect$4 or secur$4 or anti$theft or anti$virus))with ((disabl$4 or disconnect$4)near3 (reource or storage or memory))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/09 08:45
S92	0	(((data or information or program or code)near5 (protect$4 or secur$4 or anti$theft or anti$virus))with ((disabl$4 or disconnect$4)near3 (reource or storage or memory))) same(computer near2 (state or code))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/09 08:46
S93	9	(((data or information or program or code)near5 (protect$4 or secur$4 or anti$theft or anti$virus))with ((disabl$4 or disconnect$4)near3 (reource or storage or memory))) and (computer near2 (state or code))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/09 08:49
S94	21881	"713"/$.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/09 08:49
S95	735	"713"/$.ccls. and (control$4 with (computer near5 (state or mode)))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/09 08:50
S96	125	"713"/$.ccls. and ((control$4 with (computer near5 (state or mode)))same (code or password or id))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/09 08:50
S97	1	("713"/$.ccls. and (control$4 with (computer near5 (state or mode)))) and (((((before or prior)adj5 (interconnect$4 or connect$4))with (power or supply or voltage))same (motherboard))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/09 08:51

S98	11	("713"/$.ccls. and (control$4 with (computer near5 (state or mode)))) and ((((before or prior)adj5 (interconnect$4 or connect$4))with (power or supply or voltage)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 11:01
S99	0	"6268789".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 11:02
S100	1	"6378074".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 11:05
S101	0	"6622250".uref..uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 11:05
S102	0	"6622250".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 11:06
S103	2	"5867406".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 11:07
S104	2	"6038672".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 11:08
S105	2	"6044422".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 11:10
S106	2	"6061754".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 11:11
S107	2	"6128682".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 11:13

S10 8	2	"6144219".pn.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/09 11:13
S10 9	2	"6151649".pn.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/09 11:14
S11 0	2	"6205500".pn.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/09 11:15
S11 1	2	"6336174".pn.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/09 11:17
S11 2	2	"6357013".pn.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/09 11:18
S11 3	2	"6378074".pn.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/09 11:41
S11 4	168084	((select$5 or adapt$5)near5 (interconnect$4 or connect$4 or isolat$4 or disabl$5 or enabl$4))with (unit$1 or device$1 or peripheral or component$4)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/09 12:49
S11 5	407	(((select$5 or adapt$5)near5 (interconnect$4 or connect$4 or isolat$4 or disabl$5 or enabl$4))with (unit$1 or device$1 or peripheral or component$4)) and (((prior or before)near4 (initial$7 or configur$8 or power$4))with computer)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/09 11:47

S116	17	(((select$5 or adapt$5)near5 (interconnect$4 or connect$4 or isolat$4 or disabl$5 or enabl$4))with (unit$1 or device$1 or peripheral or component$4)) same ((((prior or before)near4 (initial$7 or configur$8 or power$4))with computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 12:49
S117	0	(based$on adj3 (input or code or password))with (computer adj (state or mode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 12:46
S118	24	((computer adj (state or mode or operat$5))with (relat$5 adj4 (input or code))) and (((interconnect$4 or connect$4 or isolat$4 or disabl$5 or enabl$4))with (unit$1 or device$1 or peripheral or component$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 12:49
S119	0	((((computer adj (state or mode or operat$5))with (relat$5 adj4 (input or code))) and (((interconnect$4 or connect$4 or isolat$4 or disabl$5 or enabl$4))with (unit$1 or device$1 or peripheral or component$4))) and (((prior or before)near4 (initial$7 or configur$8 or power$4))with computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 12:51
S120	4	(((computer adj (state or mode or operat$5))with (relat$5 adj4 (input or code))) and (((interconnect$4 or connect$4 or isolat$4 or disabl$5 or enabl$4))with (unit$1 or device$1 or peripheral or component$4))) and (((prior or before)near4 (initial$7 or configur$8 or power$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 12:51
S121	17	(((computer adj (state or mode or operat$5))with (relat$5 adj4 (input or code))) and (((interconnect$4 or connect$4 or isolat$4 or disabl$5 or enabl$4))with (unit$1 or device$1 or peripheral or component$4))) and ((initial$7 or configur$8 or power$4)with computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 12:52

S12 2	38	(computer adj (state or mode or operat$5))with (relat$5 adj4 (input or code))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/09 13:20
S12 3	31	(computer adj (state or mode or operat$5))with (relat$5 adj4 (input or code))	US-PGPUB ; USPAT; IBM_TDB	OR	OFF	2004/11/09 13:22
S12 4	0	((computer adj (state or mode or operable))with (relat$5 adj4 (input or code)))same ((disabl$4 or disconnect$4)near4 (device or unit or storage or peripheral))	USOCR	OR	OFF	2004/11/09 13:26
S12 5	0	((computer adj (state or mode or operable))with (relat$5 adj4 (input or code)))same ((disabl$4 or disconnect$4 or interupt)near4 (device or unit or storage or peripheral))	USOCR	OR	OFF	2004/11/09 13:26
S12 6	0	((computer adj (state or mode or operable))with (relat$5 adj4 (input or code)))and ((disabl$4 or disconnect$4 or interupt)near4 (device or unit or storage or peripheral))	USOCR	OR	OFF	2004/11/09 13:27
S12 7	0	((computer adj3 (state or mode or operable))with (relat$5 adj4 (input or code)))and ((disabl$4 or disconnect$4 or interupt)near4 (device or unit or storage or peripheral))	USOCR	OR	OFF	2004/11/09 13:27
S12 9	0	((computer adj3 (state or mode or operable))with (relat$5 adj4 (input or code)))same ((disabl$4 or disconnect$4 or interupt)near4 (device or unit or storage or peripheral))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/09 13:27
S13 1	2	((computer adj3 (state or mode or operable))with (relat$5 adj4 (input or code)))and ((disabl$4 or disconnect$4 or interupt)near4 (device or unit or storage or peripheral))	US-PGPUB ; USPAT; EPO; IBM_TDB	OR	OFF	2004/11/09 13:31
S13 2	31	"5434562".uref.	USPAT	OR	OFF	2004/11/10 08:20
S13 3	3	"6032256".uref.	USPAT	OR	OFF	2004/11/10 08:21
S13 4	0	"6268789".uref.	USPAT	OR	OFF	2004/11/10 08:21